

# Contents

---

<i>Preface</i> .....	vii
<i>List of Figures</i> .....	xi

## **Disorders of Infectious and Non-Infectious Origin**

1. Acral Lick Dermatitis (Lick granuloma) .....	3
2. Atopic Dermatitis.....	5
3. Superficial Pyoderma.....	7
4. Superficial Pustular Dermatitis .....	9
5. Bacterial Granulomatous Dermatitis (Bacterial granuloma) .....	11
6. Mycobacterial Granuloma .....	15
7. Hook Worm Dermatitis.....	17
8. Flea Bite Hypersensitivity (Canine Flea Allergic Dermatitis, Flea Bite Dermatitis).....	19
9. Pemphigus Foliaceous .....	21
10. Dysplastic Diseases of Adnexae .....	25
11. Dysplastic Diseases of Adnexae .....	27
12. Demodicosis (Demodectic Mange/ Demodectic Acariasis) .....	29
13. Crust.....	33
14. Scales .....	35
15. Ulcers.....	37
16. Dermatophytosis .....	39
17. Cheyletiellosis (Cheyletiella dermatitis).....	41
18. Hair Cycle Disorders of Endocrine Origin .....	43
19. Canine Zinc Responsive Dermatoses .....	49
20 Acanthosis Nigricans .....	51
21. Eosinophilic Granuloma (Canine Collagenolytic Granuloma).....	53

22. Sertoli Cell Tumor Associated Skin Disease .....	55
23. Malassezia Dermatitis.....	57

## **Cutaneous Neoplasm – Epithelial Tumors**

24. Papilloma .....	61
25. Squamous Cell Carcinoma .....	63
26. Basal Cell Carcinoma (Trichoblastoma).....	65
27. Sweat Gland Adenoma and Adenocarcinoma.....	69
28. Sebaceous Gland Adenoma and Adenocarcinoma .....	71
29. Ceruminous Gland Adenoma and Adenocarcinoma.....	73
30. Perianal Gland Adenoma and Adenocarcinoma .....	75
31. Fibroma.....	79
32. Fibrosarcoma .....	81
33. Lipoma.....	83
34. Liposarcoma .....	85
35. Haemangioma .....	87
36. Haemangiosarcoma.....	89
37 Hemangiopericytoma.....	91

## **Cutaneous Neoplasm – Round Cell Tumors**

38. Mast Cell Tumour .....	95
39. Histiocytoma.....	99
40. Cutaneous Lymphoma (Mycosis Fungoides, Epitheliotropic T-Cell lymphoma).....	101
41. Cutaneous Plasmacytoma .....	105
42. Melanoma .....	107
43 Transmissible Venereal Tumour (Sticker Tumour, Canine Venereal Granuloma).....	109
<i>References</i> .....	111
Index .....	113

# List of Figures

---

Fig. 1: Acral lick dermatitis – Cytology - Presence of intact neutrophils and bipolars Leishman-Giemsa stain 100X .....	3
Fig. 2: Acral lick dermatitis - Erythema and ulceration.....	4
Fig. 3: Atopic dermatitis - Multifocal mild dermal mononuclear cell infiltration H&E Bar = 20 $\mu$ m .....	5
Fig. 4: Superficial pyoderma - Erythema and macules .....	7
Fig. 5: Superficial pyoderma - Presence of mild spongiosis and pustule xiH&E Bar=50 $\mu$ m .....	8
Fig. 6: Superficial pustular dermatitis .....	9
Fig. 7: Superficial pustular dermatitis H&E Bar=100 $\mu$ m .....	10
Fig. 8: Superficial pustular dermatitis - Presence of degenerative and necrotic neutrophils H&E Bar=50 $\mu$ m .....	10
Fig. 9: Bacterial granuloma- Cytology - Chronic active inflammation characterized by the presence of neutrophils and multinucleated cell L&G Bar=10 $\mu$ m.....	11
Fig. 10: Bacterial granuloma - Solitary nodule.....	12
Fig.11: Bacterial granuloma H&E Bar=50 $\mu$ m.....	13
Fig. 12: Bacterial granuloma - Presence of neutrophils, macrophages, multinucleated giant cells, caseous necrosis and bacterial organisms H&E Bar=100 $\mu$ m.....	13
Fig. 13: Flea bite dermatitis – Bilateral erythema and papules.....	19
Fig. 14: Presence of acantholytic keratinocytes with neutrophils L&G 40X .....	21
Fig. 15: Pemphigus foliaceus - Bilateral symmetrical alopecia with adherent crust .....	22
Fig. 16: Pemphigus foliaceus - Bilateral symmetrical alopecia with adherent crust and erythema (lateral view) .....	22
Fig. 17: Pustule containing acantholytic cells H&E 10x .....	23
Fig. 18: Pustule containing acantholytic cells H&E 20x .....	23
Fig. 19: Increase in number of sebaceous glands H&E Bar = 100 $\mu$ m.....	25
Fig. 20: Sweat gland hyperplasia - Increased number of sweat gland epithelial cells H&E Bar=20 $\mu$ m .....	27
Fig. 21: Skin scraping – Demodecosis - Presence of Demodex mites Bar=100 $\mu$ m .....	29
Fig. 22: Demodicosis - Erythematous plaques.....	30

Fig. 23: Demodectosis - Dilated follicle containing various stages of Demodex mites H&E Bar=20 $\mu$ m .....	31
Fig. 24: Demodectosis - Dilated follicle containing various stages of Demodex mites H&E Bar=50 $\mu$ m.....	31
Fig. 25: Presence of parakeratotic crust formation H&E Bar=20 $\mu$ m .....	33
Fig. 26: Ulcer H&E Bar=100 $\mu$ m .....	37
Fig. 27: Hypothyroidism – Dog - Rat tail appearance .....	44
Fig. 28: Calcinosis cutis - Bilateral symmetrical ulcerated plaques in the ventral part of the abdomen .....	45
Fig. 29: Calcinosis cutis - Coalescing erythematous papules .....	45
Fig. 30: Calcinosis cutis - Dermis showed mineralization of collagen fibers. H&E Bar=100 $\mu$ m .....	46
Fig. 31: Calcinosis cutis - Dermis showed dark brown to black coloured mineral deposition of collagen fibres. von kossa Bar=100 $\mu$ m .....	46
Fig. 32: Zinc dermatosis – Dog - Well demarcated crusts, erosions and ulcers.....	49
Fig. 33: Dog - Acanthosis and mild perivascular mononuclear cell infiltration H&E Bar=100.....	51
Fig. 34: Canine eosinophilic granuloma - Perivascular to diffuse infiltration of eosinophils H&E Bar=20 $\mu$ m.....	54
Fig. 35: Malassezia – Dog - Lichenification and alopecia.....	57
Fig. 36: Malassezia - Parakeratotic crust H&E Bar=25 $\mu$ m .....	58
Fig. 37: Malassezia - Presence of yeasts in the keratin H&E Bar=10 $\mu$ m .....	58
Fig. 38: Papilloma - Pedunculated and cauliflower like growth .....	61
Fig. 39: Papilloma - Elongated dermal papillae with acanthosis, finger- like projections fibrovascular core H&E 4x .....	62
Fig. 40: Squamous cell carcinoma - Scrotal skin - Single nodule .....	63
Fig. 41: Squamous cell carcinoma - Note keratin pearls H&E Bar=100 $\mu$ m .....	64
Fig. 42: Basal Cell carcinoma – Cytology – Clusters of tightly adherent cells with oval nucleiand sparse cytoplasm WG 800x (Image Courtesy: Krithiga et al., 2005).....	65
Fig. 43: Basal Cell carcinoma – Cytology – Tightly adherent cuboidal cells with oval nuclei H&E 1000x (Courtesy: Krithiga et al., 2005).....	66
Fig. 44: Basal Cell Carcinoma – Forehead .....	66
Fig. 45: Basal Cell Carcinoma - Ribbon type H&E Bar=100 $\mu$ m .....	67
Fig. 46: Basal Cell Carcinoma - Ribbon and serpent type H&E 20x .....	67
Fig. 47: Sweat gland adenoma of tail – Solitary .....	69
Fig. 48: Sweat gland adenoma H&E Bar=100 $\mu$ m .....	70

---

Fig. 49: Sweat gland adenocarcinoma – Papillary pattern H&E 4x .....	70
Fig. 50: Sebaceous gland adenoma – Multiple lobules separated by connective tissue trabeculae H&E Bar = 100 µm .....	72
Fig. 51: Sebaceous gland adenocarcinoma – Multilobulated and variable sized intracytoplasmic vacuoles H&E Bar = 20 µm .....	72
Fig. 52: Multiple gray white nodules .....	73
Fig. 53: Ceruminous gland adenoma-Abundant eosinophilic cytoplasm with copper colored secretion in the lumen of the acini and duct H&E Bar = 100 µm .....	74
Fig. 54: Ceruminous gland adenoma- Brown material retention in the glandular lumen H&E Bar=50 µm .....	74
Fig. 55: Perianal gland adenoma – Hepatoid cell clusters with spherical nucleus and granular chromatin WG 1000x (Image Courtesy - Krithiga et al., 2005).....	75
Fig. 56: Cluster of hepatoid cells with granular cytoplasm. Note reserve cells. WG 1000x (Image courtesy – Krithiga et al., 2005) .....	76
Fig. 57: Perianal gland adenocarcinoma – Solitary mass of 4 cm in diameter around the perianal region .....	76
Fig. 58: Perianal adenoma – Round to polyhedral shaped cells with centrally placed large ovoid vesicular nuclei with abundant cytoplasm H&E Bar = 50 µm.....	77
Fig. 59: Perianal adenocarcinoma – Disorderly growth containing large polyhedral cells and reserve cells H&E Bar = 100 µm .....	77
Fig. 60: Fibroma - Elbow joint - Round soft firm nodule .....	79
Fig. 61: Fibroma - Well circumscribed mature fibrocytes arranged in interlacing bundles pattern H&E Bar=100 µm .....	80
Fig. 62: Fibrosarcoma - Above right elbow joint - Well circumscribed .....	81
Fig. 63: Fibrosarcoma - Spindle shaped cells arranged in interwoven pattern with elongated to oval nuclei with eosinophilic cytoplasm H&E 4x .....	82
Fig. 64: Fibrosarcoma – Immunohistochemistry - Vimentin - Strong cytoplasmic signal 4x.....	82
Fig. 65: Lipoma –Tail - Round, soft light white coloured nodule.....	83
Fig. 66: Lipoma - Variable sized cells with peripherally pushed nuclei H&E Bar=100 µm.....	84
Fig. 67: Liposarcoma - Large firm mass above the right elbow in the lateral aspect .....	85
Fig. 68: Liposarcoma - Variable shaped cells with pale eosinophilic cytoplasm with spherical vesicular nuclei variable sized vacuoles H&E 10X .....	86
Fig. 69: Liposarcoma – Neoplastic foci in the subcutis H&E Bar=100 µm .....	86
Fig. 70: Cavernous haemangioma - Variable sized large blood spaces filled with red blood cells H&E Bar=100 µm.....	87

Fig. 71: Hemangiopericytoma - Plumpy spindle shaped cells arranged in finger print appearance around blood vessels H&E Bar=100 µm .....	91
Fig. 72: Mast cell tumour - Single light white coloured nodule .....	95
Fig. 73: Cytology-Mast cell tumour - Presence of numerous neoplastic mast cells, and cytoplasm contained purple granules. L&G Bar=20 µm.....	96
Fig. 74: Mast cell tumor - Round to polygonal cells containing round to oval nuclei with blue gray granules H&E Bar=100 µm.....	97
Fig. 75: Mast cell tumor - Purple coloured granules in the cytoplasm Toluidine blue stain 40x .....	97
Fig. 76: Mast cell tumor - Immunohistochemistry - Strong brown coloured expression in the cytoplasm CD117 Bar=50 µm.....	98
Fig. 77: Histiocytoma - Light pink, firm raised round mass .....	99
Fig. 78: Histiocytoma – Cytology - Round shaped, round to oval indented nucleus with indistinct nucleoli L&G 40X.....	100
Fig. 79: Histiocytoma - Cords of neoplastic cells arranged perpendicular to skin surface H&E Bar=100 µm .....	100
Fig. 80: Cutaneous lymphoma - Multiple nodules.....	101
Fig. 81: Cytology- Lymphoma – Presence of variable sized lymphocytes with scanty basophilic cytoplasm and prominent multiple nucleoli. Lymphoglandular bodies were seen L&G 100X .....	102
Fig. 82: Cutaneous T cell lymphoma - Clusters of neoplastic cells H&E Bar=50µm .....	102
Fig. 83: T cell lymphoma - Clusters of neoplastic cells in the dermis H&E Bar=20 µm... ..	103
Fig. 84: T cell lymphoma – Immunohistochemistry - Strong positive brown colour reaction in the membrane and cytoplasm CD3 Bar=50 µm .....	103
Fig. 85: Cytology-Plasmacytoma-Round cells with eccentrically placed hyperchromatic nucleus, coarse to stippled chromatin with indistinct nucleoli and abundant pale blue cytoplasm with perinuclear halo. L&G Bar=5 µm .....	105
Fig. 86: Plasmacytoma - Round to polygonal cells with eccentrically placed round to oval nucleus H&E Bar=20µm.....	106
Fig. 87: Melanoma- Round to oval shaped cells with cytoplasm contained black granules Leishman &Giemsa x100 (Image Courtesy: Krithiga et al., 2005) .....	107
Fig. 88: Melanoma – Dermis - Round to polygonal shaped cells containing brown black pigments H&E Bar=100 µm.....	108
Fig. 89: Transmissible venereal tumour - Nodular type, ulcerated.....	109
Fig. 90: Cytology -Transmissible venereal tumour - Round cells with central nuclei and vacuolated cytoplasm L&G 40X.....	110
Fig. 91: Transmissible venereal tumour - Sheets and cords of round cells with fine stroma in the dermis and subcutis H&E Bar=100µm.....	110