

TABLE OF CONTENTS

1 INTRODUCTION

DERMATOLOGY CONSULTATION

SEEKING QUALITY: THE THEORY OF SIMPLICITY AND EXCELLENCE

Theory of excellence

Comfort area (optimal clinical ability)

Exploratory area (limited clinical ability)

Risk area (insufficient clinical abilities)

Examples of veterinary profiles

The theory of simplicity

2 THE SEARCH FOR RELEVANT INFORMATION

ANAMNESIS: THE PATIENT'S VOICE

Anamnesis script

1. What is the reason for which the patient has attended the consultation?
2. When did the problem begin?
3. Information about the lesions, the clinical picture, and the evolution thereof
4. Previous episodes

5. Does the animal show signs of pruritus?
6. Does the animal have otitis?
7. Information about the patient's habitat
8. Have lesions been observed on any other animals or people in the patient's environment?
- 9 External parasite control
10. Diet
11. Animal behaviour
12. Treatments administered
13. Recent diagnostic tests
14. Other diseases

DERMATOLOGICAL EXAMINATION: COLLECTING OBJECTIVE INFORMATION

Introduction

Lesion type

Primary lesions

Primary/secondary lesions

Secondary lesions

Final considerations

3 JOINING THE PIECES TO SOLVE THE DIAGNOSTIC PUZZLE

DIAGNOSTIC ALGORITHM: DIFFERENTIAL DIAGNOSES ACCORDING TO THE DERMATOLOGICAL PATTERN

The difficulty and importance of defining the dermatological pattern

Diagnostic algorithm for the pruritic pattern in dogs

Step 1. Determine whether the pruritus causes the lesion or the lesion causes the pruritus

Step 2. Confirm or rule out pruritic ectoparasitic conditions

- Sarcoptic mange

- Cheyletiellosis

- Otoacariasis or otodectic mange

- Other pruritic ectoparasitic diseases

Step 3. Evaluate the existence of an infectious component

- Pyoderma

- Malassezia* dermatitis

Step 4. Diagnostic protocol for the allergic triad

- Flea allergy dermatitis

- Food-induced allergic dermatitis

- Canine atopic dermatitis

Step 5. Diagnosis of lesions located in a specific body area

- Contact dermatitis

- Dermatoses caused by behavioural syndromes (psychogenic pruritus)

Step 6. Case re-evaluation

Diagnostic algorithm for the alopecic pattern in dogs

Step 1. Determine if the alopecia is of traumatic origin

Step 2. Evaluate the possible presence of pyoderma, demodicosis, and dermatophytosis

- Bacterial folliculitis

- Canine demodicosis

- Dermatophytosis

Step 3. Evaluate other differential diagnoses

- Focal or multifocal alopecia

Symmetrical or diffuse alopecia

Patchy-to-diffuse alopecia

Diagnostic algorithm for the pustular pattern in dogs

Step 1. Determine whether the presentation corresponds to the pustular pattern

Step 2. Perform cytology

Step 3. Perform a biopsy

Step 4. Diseases that correspond to the pustular pattern

Pyoderma

Dermatophytosis

Leishmaniasis

Sterile pustular dermatitis

Pemphigus foliaceus

Diagnostic algorithm for keratoseborrhoeic disorders in dogs

Step 1. Determine whether the clinical picture corresponds to a primary keratoseborrhoeic disorder

Step 2. Confirm the absence of systemic, environmental, or management problems

Step 3. Rule out the existence of demodicosis and dermatophytosis

Step 4. Rule out the existence of pyoderma or dermatitis due to *Malassezia*

Step 5. Rule out the existence of leishmaniasis

Step 6. Differential diagnosis of diseases with a primary keratoseborrhoeic pattern

Sebaceous adenitis

Primary idiopathic seborrhoea

Vitamin A-responsive dermatosis

Ichthyosis

Zinc-responsive dermatosis

Miniature Schnauzer comedone syndrome

Exfoliative cutaneous lupus erythematosus in German Shorthaired Pointers

Nasal parakeratosis of Labradors

Nasodigital hyperkeratosis

Hereditary footpad hyperkeratosis

Ear-margin seborrhoea

Epitheliotropic lymphoma

Thymoma-associated exfoliative dermatitis in cats

Hepatocutaneous syndrome

Leishmaniasis

Diagnostic algorithm for the erosive-ulcerative pattern in dogs

Step 1. Determine whether the lesions are due to self-trauma

Step 2. Rule out trauma and burns

Step 3. Rule out leishmaniasis and ehrlichiosis

Step 4. Perform a biopsy

Idiopathic folliculitis—furunculosis of German Shepherds

Discoid lupus erythematosus and mucocutaneous pyoderma

Epitheliotropic lymphoma

Squamous cell carcinoma

Ischaemic dermatopathy

Erythema multiforme complex

Systemic lupus erythematosus

Pemphigus vulgaris

Epidermolysis bullosa

Paraneoplastic pemphigus

Diagnostic algorithm for the nodular pattern in dogs

Step 1. Perform cytology

Inflammatory reaction

Neoplasms

Inflammatory reaction associated with neoplasia

Absence of cells

Step 2. Perform a biopsy

Inflammatory conditions

Abscesses

Panniculitis

Pyogranuloma syndrome/sterile granuloma

Eosinophilic furunculosis

Canine eosinophilic dermatitis

Feline eosinophilic granuloma complex

Most common epithelial neoplasms

Oral papillomatosis

Follicular cysts

Basal cell tumours

Sebaceous adenomas

Most common mesenchymal neoplasms

Lipomas

Haemangiomas

Other mesenchymal cell neoplasms

Most common round cell neoplasms

Histiocytomas

Mast cell tumours

Melanocytomas and melanomas

Diagnostic algorithm for pigmentary alterations

Hyperpigmentation

Depigmentation

Vitiligo

Uveodermatologic syndrome

Mucocutaneous pyoderma

Discoid lupus erythematosus

4 A PRACTICAL GUIDE TO DERMATOLOGICAL TREATMENTS

TREATMENT IN DERMATOLOGY

Topical treatment

Shampoo therapy

Other non-shampoo formulations

Treatment of ectoparasitic conditions

Treatment of pruritic diseases caused by mites: sarcoptic mange, cheyletiellosis, and otoacariasis

Treatment of demodicosis

Flea infestations

Isoxazoline treatment

Treatment of pruritus

Glucocorticoids

Oclacitinib

Ciclosporin

Lokivetmab

Antihistamines

Antibiotic therapy in dermatology

Antibiotic selection

Doses and regimens